

Publications (peer-reviewed journals)

Polzin A, Dannenberg L, Benkhoff M, Barcik M, Helten C, Mourikis P, Ahlbrecht S, Wildeis L, Ziese J, Zikeli D, Metzen D, Hu H, Baensch L, Schröder NH, **Keul P**, Weske S, Wollnitzke P, Duse D, Saffak S, Cramer M, Bönner F, Müller T, Gräler MH, Zeus T, Kelm M, Levkau B. Revealing concealed cardioprotection by platelet Mfsd2b-released S1P in human and murine myocardial infarction. *Nat Commun.* 2023 Apr 26;14(1):2404.

Polzin A, Dannenberg L, Benkhoff M, Barcik M, **Keul P**, Ayhan A, Weske S, Ahlbrecht S, Trojovsky K, Helten C, Haberkorn S, Flögel U, Zeus T, Müller T, Gräler MH, Kelm M, Levkau B. Sphingosine-1-phosphate improves outcome of no-reflow acute myocardial infarction via sphingosine-1-phosphate receptor 1. *ESC Heart Fail.* 2023 Feb;10(1):334-341

Keul P, Peters S, von Wnuck Lipinski K, Schröder NH, Nowak MK, Duse DA, Polzin A, Weske S, Gräler MH, Levkau B. Sphingosine-1-Phosphate (S1P) Lyase Inhibition Aggravates Atherosclerosis and Induces Plaque Rupture in ApoE^{-/-}Mice. *Int J Mol Sci.* 2022 Aug 24;23(17):9606

Polzin A, Dannenberg L, Benkhoff M, Barcik M, **Keul P**, Helten C, Zeus T, Kelm M, Levkau B. S1P Lyase Inhibition Starting After Ischemia/Reperfusion Improves Postischemic Cardiac Remodeling. *JACC Basic Transl Sci.* 2022 May 23;7(5):498-499

Flögel U, Temme S, Jacoby C, Oerther T, **Keul P**, Flocke V, Wang X, Bönner F, Nienhaus F, Peter K, Schrader J, Grandoch M, Kelm M, Levkau B. Multi-targeted 1H/19F MRI unmasks specific danger patterns for emerging cardiovascular disorders. *Nat Commun.* 2021 Oct 6;12(1):5847

Kohlmorgen C, Gerfer S, Feldmann K, Twarock S, Hartwig S, Lehr S, Klier M, Krüger I, Helten C, **Keul P**, Kahl S, Polzin A, Elvers M, Flögel U, Kelm M, Levkau B, Roden M, Fischer JW, Grandoch M. Dapagliflozin reduces thrombin generation and platelet activation: implications for cardiovascular risk reduction in type 2 diabetes mellitus *Diabetologia.* 2021 Aug;64(8):1834-1849

Weske S, Vaidya M, von Wnuck Lipinski K, **Keul P**, Manthe K, Burkhart C, Haberhauer G, Heusch G, Levkau B. Agonist-induced activation of the S1P receptor 2 constitutes a novel osteoanabolic therapy for the treatment of osteoporosis in mice. *Bone.* 2019 Aug;125:1-7.

Vaidya M, Jentsch JA, Peters S, **Keul P**, Weske S, Gräler MH, Mladenov E, Iliakis G, Heusch G, Levkau B. Regulation of ABCA1-mediated cholesterol efflux by sphingosine-1-phosphate signaling in macrophages. *J Lipid Res.* 2019 Mar;60(3):506-515.

Keul P, Polzin A, Kaiser K, Gräler M, Dannenberg L, Daum G, Heusch G, Levkau B. Potent anti-inflammatory properties of HDL in vascular smooth muscle cells mediated by HDL-S1P and their impairment in coronary artery disease due to lower HDL-S1P: a new aspect of HDL dysfunction and its therapy. *FASEB J.* 2019 Jan;33(1):1482-1495.

Weske S, Vaidya M, Reese A, von Wnuck Lipinski K, **Keul P**, Bayer JK, Fischer JW, Flögel U, Nelsen J, Epple M, Scatena M, Schwedhelm E, Dörr M, Völzke H, Moritz E, Hannemann A, Rauch BH, Gräler MH, Heusch G, Levkau B. Targeting sphingosine-1-phosphate lyase as an anabolic therapy for bone loss. *Nat Med.* 2018 May;24(5):667-678.

von Wnuck Lipinski K, Weske S, **Keul P**, Peters S, Baba HA, Heusch G, Gräler MH, Levkau B. Hepatocyte nuclear factor 1A deficiency causes hemolytic anemia in mice by altering erythrocyte sphingolipid homeostasis. *Blood.* 2017 Dec 21;130(25):2786-2798.

Polzin A, Piayda K, **Keul P**, Dannenberg L, Mohring A, Gräler M, Zeus T, Kelm M, Levkau B. Plasma sphingosine-1-phosphate concentrations are associated with systolic heart failure in patients with ischemic heart disease. *J Mol Cell Cardiol.* 2017 Sep;110:35-37

Keul P, van Borren MM, Ghanem A, Müller FU, Baartscheer A, Verkerk AO, Stümpel F, Schulte JS, Hamdani N, Linke WA, van Loenen P, Matus M, Schmitz W, Stypmann J, Tiemann K, Ravesloot JH, Alewijnse AE, Hermann S, Spijkers LJ, Hiller KH, Herr D, Heusch G, Schäfers M, Peters SL, Chun J, Levkau B. Sphingosine-1-Phosphate Receptor 1 Regulates Cardiac Function by Modulating Ca²⁺ Sensitivity and Na⁺/H⁺ Exchange and Mediates Protection by Ischemic Preconditioning. *J Am Heart Assoc.* 2016 May 20;5(5).

von Wnuck Lipinski K, Sattler K, Peters S, Weske S, Keul P, Klump H, Heusch G, Göthert JR, Levkau B. Hepatocyte Nuclear Factor 1A Is a Cell-Intrinsic Transcription Factor Required for B Cell Differentiation and Development in Mice. *J Immunol.* 2016 Feb 15;196(4):1655-65.

- Shaikh RS*, **Keul P***, Schäfers M, Levkau B, Haufe G. New fluorinated agonists for targeting the sphingosine-1-phosphate receptor 1 (S1P(1)). *Bioorg Med Chem Lett*. 2015 Nov 15;25(22):5048-51.
- Sattler K, Gräler M, **Keul P**, Weske S, Reimann CM, Jindrová H, Kleinbongard P, Sabbadini R, Bröcker-Preuss M, Erbel R, Heusch G, Levkau B. Defects of High-Density Lipoproteins in Coronary Artery Disease Caused by Low Sphingosine-1-Phosphate Content: Correction by Sphingosine-1-Phosphate-Loading. *J Am Coll Cardiol*. 2015 Sep 29;66(13):1470-85.
- Nussbaum C*, Bannenberg S*, **Keul P**, Gräler M, Gonçalves-de-Albuquerque CF, Korhonen H, von Wnuck Lipinski K, Heusch G, de Castro Faria Neto HC, Rohwedder I, Göthert JR, Prasad VP, Haufe G, Lange-Sperandio B, Offermanns S, Sperandio M, Levkau B. Sphingosine-1-phosphate receptor 3 promotes leukocyte rolling by mobilizing endothelial P-selectin. *Nat Commun*. 2015 Apr 2;6:6416.
- Shaikh RS, Schilson SS, Wagner S, Hermann S, **Keul P**, Levkau B, Schäfers M, Haufe G. Synthesis and evaluation of fluorinated fingolimod (FTY720) analogues for sphingosine-1-phosphate receptor molecular imaging by positron emission tomography. *J Med Chem*. 2015 Apr 23;58(8):3471-84.
- Schilson SS*, **Keul P***, Shaikh RS, Schäfers M, Levkau B, Haufe G. Synthesis of new ligands for targeting the S1P1 receptor. *Bioorg Med Chem*. 2015 Mar 1;23(5):1011-26.
- Prasad VP, Wagner S, **Keul P**, Hermann S, Levkau B, Schäfers M, Haufe G. Synthesis of fluorinated analogues of sphingosine-1-phosphate antagonists as potential radiotracers for molecular imaging using positron emission tomography. *Bioorg Med Chem*. 2014 Oct 1;22(19):5168-81.
- Keul P**, Lucke S, von Wnuck Lipinski K, Bode C, Gräler M, Heusch G, Levkau B. Sphingosine-1-phosphate receptor 3 promotes recruitment of monocyte/macrophages in inflammation and atherosclerosis. *Circ Res*. 2011 Feb 4;108(3):314-23.
- Sattler KJ, Elbasan S, **Keul P**, Elter-Schulz M, Bode C, Gräler MH, Bröcker-Preuss M, Budde T, Erbel R, Heusch G, Levkau B. Sphingosine 1-phosphate levels in plasma and HDL are altered in coronary artery disease. *Basic Res Cardiol*. 2010 Nov;105(6):821-32.
- Tölle M, Pawlak A, Schuchardt M, Kawamura A, Tietge UJ, Lorkowski S, **Keul P**, Assmann G, Chun J, Levkau B, van der Giet M, Nofer JR. HDL-associated lysosphingolipids inhibit NAD(P)H oxidase-dependent monocyte chemoattractant protein-1 production. *Arterioscler Thromb Vasc Biol*. 2008 Aug;28(8):1542-8.
- Levkau B, Schäfers M, Wohlschlaeger J, von Wnuck Lipinski K, **Keul P**, Hermann S, Kawaguchi N, Kirchhof P, Fabritz L, Stypmann J, Stegger L, Flögel U, Schrader J, Fischer JW, Hsieh P, Ou YL, Mehrhof F, Tiemann K, Ghanem A, Matus M, Neumann J, Heusch G, Schmid KW, Conway EM, Baba HA. Survivin determines cardiac function by controlling total cardiomyocyte number. *Circulation*. 2008 Mar 25;117(12):1583-93.
- Sensken SC, Stäubert C, **Keul P**, Levkau B, Schöneberg T, Gräler MH. Selective activation of G α i mediated signalling of S1P3 by FTY720-phosphate. *Cell Signal*. 2008 Jun;20(6):1125-33.
- Faust A, Wagner S, Law MP, Hermann S, Schnöckel U, **Keul P**, Schober O, Schäfers M, Levkau B, Kopka K. The nonpeptidyl caspase binding radioligand (S)-1-(4-(2-[¹⁸F]Fluoroethoxy)-benzyl)-5-[1-(2-methoxymethylpyrrolidinyl)sulfonyl]isatin ([¹⁸F]CbR) as potential positron emission tomography-compatible apoptosis imaging agent. *Q J Nucl Med Mol Imaging*. 2007 Mar;51(1):67-73.
- Walter DH, Rochwalsky U, Reinhold J, Seeger F, Aicher A, Urbich C, Spyridopoulos I, Chun J, Brinkmann V, **Keul P**, Levkau B, Zeiher AM, Dimmeler S, Haendeler J. Sphingosine-1-phosphate stimulates the functional capacity of progenitor cells by activation of the CXCR4-dependent signaling pathway via the S1P3 receptor. *Arterioscler Thromb Vasc Biol*. 2007 Feb;27(2):275-82.
- Keul P**, Tölle M, Lucke S, von Wnuck Lipinski K, Heusch G, Schuchardt M, van der Giet M, Levkau B. The sphingosine-1-phosphate analogue FTY720 reduces atherosclerosis in apolipoprotein E-deficient mice. *Arterioscler Thromb Vasc Biol*. 2007 Mar;27(3):607-13.
- Kopka K, Faust A, **Keul P**, Wagner S, Breyholz HJ, Hötke C, Schober O, Schäfers M, Levkau B. 5-pyrrolidinylsulfonyl isatins as a potential tool for the molecular imaging of caspases in apoptosis. *J Med Chem*. 2006 Nov 16;49(23):6704-15.

Theilmeyer G, Schmidt C, Herrmann J, **Keul P**, Schäfers M, Herrgott I, Mersmann J, Larmann J, Hermann S, Stypmann J, Schober O, Hildebrand R, Schulz R, Heusch G, Haude M, von Wnuck Lipinski K, Herzog C, Schmitz M, Erbel R, Chun J, Levkau B. High-density lipoproteins and their constituent, sphingosine-1-phosphate, directly protect the heart against ischemia/reperfusion injury in vivo via the S1P3 lysophospholipid receptor. *Circulation*. 2006 Sep 26;114(13):1403-9.

von Wnuck Lipinski K, **Keul P**, Ferri N, Lucke S, Heusch G, Fischer JW, Levkau B. Integrin-mediated transcriptional activation of inhibitor of apoptosis proteins protects smooth muscle cells against apoptosis induced by degraded collagen. *Circ Res*. 2006 Jun 23;98(12):1490-7.

von Wnuck Lipinski K, **Keul P**, Lucke S, Heusch G, Wohlschlaeger J, Baba HA, Levkau B. Degraded collagen induces calpain-mediated apoptosis and destruction of the X-chromosome-linked inhibitor of apoptosis (xIAP) in human vascular smooth muscle cells. *Cardiovasc Res*. 2006 Feb 15;69(3):697-705.

Stegger L, Schäfers KP, Flügel U, Livieratos L, Hermann S, Jacoby C, **Keul P**, Conway EM, Schober O, Schrader J, Levkau B, Schäfers M. Monitoring left ventricular dilation in mice with PET. *J Nucl Med*. 2005 Sep;46(9):1516-21.

Tölle M, Levkau B, **Keul P**, Brinkmann V, Giebing G, Schönfelder G, Schäfers M, von Wnuck Lipinski K, Jankowski J, Jankowski V, Chun J, Zidek W, Van der Giet M. Immunomodulator FTY720 Induces eNOS-dependent arterial vasodilatation via the lysophospholipid receptor S1P3. *Circ Res*. 2005 Apr 29;96(8):913-20.